

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 175245	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/06/2015
NAME OF PROVIDER OR SUPPLIER GOLDEN LIVINGCENTER TRS- EDWARDSVILLE			STREET ADDRESS, CITY, STATE, ZIP CODE 751 BLAKE ST. EDWARDSVILLE, KS 66111		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
S 000	INITIAL COMMENTS The following citations represent the findings of a Health Resurvey and Complaint Investigation #KS77541 and #KS74757.	S 000			
S1146 SS=E	26-40-303 (8)(a)(i)(ii)(iii)(iv)(v) P E - Laundry service (8) Laundry services. Each nursing facility shall have the means for receiving, processing, and storing linen needed for resident care in a central laundry or off-site laundry, or both, or a personal laundry room located on a resident unit in combination with these options. The arrangement of laundry services shall provide for an orderly workflow from dirty to clean, to minimize cross-contamination. (A) If nursing facility laundry or more than one resident ' s personal laundry is to be processed, the laundry services area shall have separate rooms, with doors that do not open directly onto the resident unit, that have the following: (i) A soiled laundry room for receiving, holding, and sorting laundry, equipped with containers with tightly fitting lids for soiled laundry, that is exhausted to the outside; (ii) a processing room that contains commercial laundry equipment for washing and drying and a hand-washing sink; (iii) an enclosed housekeeping room that opens into the laundry processing area and contains either a floor receptor or service sink, or both, and shelving and space for storage of housekeeping equipment and supplies; (iv) a clean laundry room for handling, storing,	S1146			

If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 175245	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/06/2015
NAME OF PROVIDER OR SUPPLIER GOLDEN LIVINGCENTER TRS- EDWARDSVILLE			STREET ADDRESS, CITY, STATE, ZIP CODE 751 BLAKE ST. EDWARDSVILLE, KS 66111		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
S1146	<p>Continued From Page 1</p> <p>issuing, mending, and holding laundry with egress that does not require passing through the processing or soiled laundry room; and</p> <p>(v) storage space for laundry supplies.</p> <p>This Requirement is not met as evidenced by: KAR 26-40-303 8 (i)</p> <p>The facility reported a census of 95 residents. The census included 16 residents. Based on observation, interview, and record review revealed the facility failed to properly cover soiled linen in the laundry receiving area.</p> <p>Finding included:</p> <ul style="list-style-type: none"> - On 6/30/15 at 2:30 P.M. an observation of three barrels were covered with sheets in the receiving area. An additional 3 barrels covered with sheets were over filled with soiled laundry in a clean area in front of the washing machines. Soiled laundry was visible from under the sheets above the height of the barrels. Staff placed clean laundry in open baskets and moved the baskets from the washing machines passing by the over filled, exposed soiled laundry to the dryer area. <p>On 6/30/15 at 2:30 P.M. laundry staff stated the staff sorted the soiled laundry in the receiving area and then the barrels were covered with sheets. Staff placed the barrels filled with soiled laundry in front of the washers.</p> <p>On 7/1/15 at 11:15 A.M. housekeeping supervisor DD stated there were not enough covers for the barrels.</p> <p>Review of the Linen Usage and Control policy provided by the facility revised 1/11 revealed the</p>	S1146			

If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 175245	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/06/2015
NAME OF PROVIDER OR SUPPLIER GOLDEN LIVINGCENTER TRS- EDWARDSVILLE			STREET ADDRESS, CITY, STATE, ZIP CODE 751 BLAKE ST. EDWARDSVILLE, KS 66111		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
S1146	<p>Continued From Page 2</p> <p>facility would receive soiled linens in a manner consistent with proper storage guidelines.</p> <p>The facility failed to sort and hold soiled laundry in containers with tightly fitting lids and failed to have an orderly workflow from dirty to clean to minimize cross contamination.</p>	S1146			

If deficiencies are cited, an approved plan of correction is requisite to continued program participation.